

Traditional Bone setting in Africa: Counting the cost

A Udosen

Citation

A Udosen. *Traditional Bone setting in Africa: Counting the cost*. The Internet Journal of Alternative Medicine. 2008 Volume 7 Number 1.

Abstract

POSTER PRESENTATION AT

The 5th SICOT/SIROT Annual International Conference held at Palais des Congrès, Avenue des France, Marrakech, Morocco, from August 29 to 1 September, 2007

BACKGROUND

Traditional Bone setting (TBS) is popular in Africa because its practitioners lay claims to supernatural influences.^{1,2,3,4} Superstition, ignorance and poverty are the basis for continued patronage despite complications.^{1,2,3}

AIM

Complications of TBS in a sub-Saharan African community is highlighted

PATIENTS AND METHODS

Major complications of TBS among patients seen in the orthopaedic unit of a Nigerian hospital were evaluated. Patients' demographics, pattern of complications and the comparative costs of treatments were analyzed between January and December, 2006.

RESULTS

185 patients had corrective procedures for various musculoskeletal injuries during this period. 84 (45%) of these were due to complications from TBS interventions (Table 1). Male: Female ratio was 5:1. Average age was 38 years. Corrective treatments included open reduction and internal fixation with or without bone grafting, Sequestrectomy, skin grafting, Manipulation under anaesthesia, release of contractures and amputations.

Financial cost of the corrective treatments ranged between 50,000 to 300,000 Nigerian Naira (₦400-3000) whereas the estimated cost of treating similar injuries when they are uncomplicated was about 7,500 to 70,000 Nigerian Naira (₦60-₦500).

Figure 1

Table 1: Complications from Traditional bonesetting and the sites of affectation

Complications	Part affected	Number	(%)
Malunion & Nonunion	femur	18	21.4
	Tibia	20	23.9
	Humerus	8	9.6
Chronic/osteomyelitis	Femur	2	2.4
	Tibia	6	7.2
Joint ankylosis	Elbow	6	7.2
	Knee	5	6.1
	Shoulder	1	1.3
Contractures	Elbow	2	2.4
	Wrist	1	1.3
Limb gangrene	Lower limb	7	7.2
	Forearm	2	2.4
Herbal Burns	foot	1	1.3
	F/arm & wrist	2	2.4
	Calf	1	1.3
Nerve palsy	Wrist	1	1.3
TOTAL		84	100

Photographs of some complications of TBS seen at the University of Calabar Teaching Hospital Calabar, Nigeria

DISCUSSION

The volume of complications listed and those that present to the hospitals are quite insignificant compared to the number that are languishing in the villages because of poverty and ignorance.³⁵⁶ There is an erroneous belief in traditional Africa that the only available option for treatment of fractures in hospitals is amputation.¹²⁷ Because of this high level of ignorance and superstition, even the rich and the elites are also caught in the web. The reasons for continued patronage and the attitude of the patients and the practitioner are similar in all the studies conducted within and outside Nigeria.¹²⁶⁷ Orthopaedic and Trauma surgeons working in Africa are overburdened by these unnecessary complications as they spend their expertise in correcting complications rather than practice modern Orthopaedics and research.¹²⁵⁷ The cost of correcting complications was very high so that those who cannot afford do die or remain incapacitated for life. These complications pose economic, physical and social burden to the affected individuals, families and the society.¹

CONCLUSION

Sustained public enlightenment, reduction of poverty as well as establishing a workable health insurance policy to include rural dwellers may reverse this trend. Training and empowering rural orthopaedic workers is a pet project of the authors which requires sponsors.⁵ The author also initiates the manufacturing of local orthopaedic appliances which are

available and affordable for the poor rural dwellers so as to reduce these complications.⁸⁹¹⁰

References

1. Udosen AM, Otei OO, Onuba O. The role of traditional bonesetters in Africa: Experience in Calabar, Nigeria. *Annals of Afr. Med.* 2006; 5(4):170-173.
2. Ogunlusi DO, Ikem IC, Oginni . Why Patients Patronize Traditional Bone Setters. *The Internet Journal of Orthopedic Surgery.* 2007. Volume 4 Number 2.
3. Udosen AM, Etiuma AU, Ugare GA, Akpan SG, Bassey OO: Femoral Artery Aneurysm, a Complication of Traditional Bonesetting, *Nig J Surg.* 2005. (A case report).
4. Udosen AM, Ugare G, Ekpo R: Generalized Tetanus Complicating lower limb fractures managed by Traditional bonesetters. *Tropical Doctor* 2005; 35:237-239.
5. Udosen A M. The Role of Orthopaedic and Trauma Assistants in improving rural Orthopaedic and Trauma care: *Annals of African Medicine.* 2004; 3(3):150-152
6. Ikpeme IA, Udosen AM, I. Okereke-Okpa. Patients' perception of traditional bone setting in Calabar. *Port Harcourt medical Journal* 2007; 1:104-108.
7. Thanni L O. Factors influencing patronage of traditional bonesetters. *West Africa Journal of Medicine* 2000; 220-224.
8. Udosen AM, Dominic Essien: Introducing the Inbed Spinal Traction kit for use on patients with Low back pain. *Nig. J. of ortho/trauma* Vol. 3 No; 1 (2004); 30-38.
9. Udosen AM, Essien D. Noncompliance to the use of standard orthocare products in Calabar, Nigeria: The logical solution. A paper presented at the annual meeting and scientific conference of the International college of Surgeons, Kaduna, 2006.

Author Information

Anthony M Udosen, FWACS, FMCS (Ortho), FICS, Ikpeme AI FWACS, Ngim NE FWACS
Department of Surgery, University of Calabar & University of Calabar Teaching Hospital