

Effect of Nutrition on Dental and Skeletal Maturation Stage: A Brief Report

B Rai

Citation

B Rai. *Effect of Nutrition on Dental and Skeletal Maturation Stage: A Brief Report*. The Internet Journal of Forensic Science. 2006 Volume 2 Number 2.

Abstract

Animal studies have shown that under-nourishment alters skeletal maturation stage and growth.^{1,2} Malnourished children have shown significantly slower skeletal maturation rate and delayed puberty.^{3,4} Tooth eruption has a poor correlation with general body and facial growth as compared to skeletal maturation.⁵ In our previous study we reported that calcification pattern of the mandibular second molar has been highly correlated with skeletal maturation events.⁶

To our best knowledge, no previous study in Indian has simultaneously analyzed the possible influence of growth stunting on skeletal maturation and dental development evaluated through radiographs in preadolescents and adolescents. The objective of this study was to evaluate whether malnutrition status was associated with maturation stages of the medium phalanx of the third finger (MP3) and dental development of mandibular second molar in north Indian children.

A sample of 40 school children aged between (B-16) years were selected from out patient Department Govt Dental College, PGIMS, Rohtak (India). All the children were from at least one previous generation of ancestors without any clinically determined chronic medical disease or syndrome. Skeletal maturation was evaluated through a periapical radiograph of the MP₃ from the hand (Dept of Orthodontics, Govt Dental College, PGIMS, Rohtak (India). The maturation stage selective to the peak of high velocity was determined for each individual using five-point ordinal scale as in the previous study.⁸ Demirijian et al. classification for the mandibular second molar was used. All the data were analyzed with SPSS statistical (SPSS 7.0).

Figure 1

Table 1: Skeletal maturation stage of the MP and dental development stage of second molar.

	E	F	G	H
Skeletal F	13	34	15	5
Maturation FG	2	17	32	1.2
Stage G	1	3	46	23
H	0	2	15	80
I	0	0	5	13

There was a highly statistically significant difference for skeletal maturation and dental developmental stage in gender ($p < 0.01$) while no statistically significance difference for skeletal maturation and dental developmental stage according to nutrition was found. Malnutrition was not associated with dental developmental and skeletal maturity stages in north of India.

References

1. Cesani MF, Orden B, Zucchi M, Mane MC, Oyhenart EE, Pucciarelli HM. Effect of under nutrition on the cranial growth of rat. An International Study. *Cells Tissue Organs* 2003; 174: 129-135.
2. Saxena S, Saxena NB. Skeletal maturation of hands and wrists in normal and malnourished children. *Indian J Pediatr*. 1989; 47: 187-91.
3. Prakash S, Bala K. Skeletal maturation in deprived preschool children of Chandigarh. *Indian J Med Res* 1979; 70: 242-251.
4. Gron A. Prediction of tooth emergence. *J Dent Res* 1962; 41: 573-585.
5. Rai B, Anand SC. The correlation between different radiograph in growth prediction in north Indian population. *JPFA* 2006 (Accepted).
6. Haggi, Taranger J. Maturation indicators and pubertal growth spurt. *Am J Orthod*. 1982; 82: 299-309.
7. Mir FC, Mauricio FR, Orellana MF, Major PW. Association between growth stunting with dental development and skeletal maturation stage. *The Angle Orthodontist* 2005; 75 (6): 935-940.
8. Demirijian A, Goldstein H, Tanner JM. A new system as dental age assessment. *Hum Biol*. 1973; 45: 211-227.

Author Information

Balwant Rai, B.D.S.

Editor in Chief, Internet Journal Of Dental Science