

Reliability Analysis Of Cooperating And Communicating Distributed Mobile Agents

R Seethalakshmi, K Ravichandran, P Vasanth

Citation

R Seethalakshmi, K Ravichandran, P Vasanth. *Reliability Analysis Of Cooperating And Communicating Distributed Mobile Agents*. The Internet Journal of Medical Informatics. 2005 Volume 2 Number 2.

Abstract

Recently the concepts and technologies associated with Intelligent Agents have become popular and issues such as reliable analysis and design methodologies are increasingly evolved. Distributed Agents have received more attention, as they are used in accessing Distributed resources in a network. In order to access the resources efficiently a reliable Distributed Communication Network (DCN) is required. This paper aims at analyzing the reliability of DCN, which is formulated using Distributed Agents. Agents are autonomous entities and are called software robots and their interactions are cooperative. The Reliability of the DCN is a factor that may depend on the performance, availability, and strategy of Distributed Agent based system and it provides a failure free environment for communication. In this paper a Distributed Agent system is defined, which consists of multiple Agents, each of which accomplishes an independent task by taking a random walk, process the information at the chosen node and returns the result to the requestor. The Distributed Agents act as tokens, which travels over the network from node to node. It is necessary for the Agent to complete its walk successfully by a specified deadline t . The Agent needs a connected route during the period t to maintain mobility. This defines the concept of Distributed Agent tour or walk, which is used to estimate the Reliability of the Distributed Agents. Hence, the problem is reduced to the problem of successful completion of Agent's tour, based on the status of Distributed Communication Network. With such system, robustness of DCN is asserted & hence the increase in reliability.

INTRODUCTION

Multi-Agent based system is the growing young area of research. An agent is a system that is situated in some environment, and that is capable of autonomous action in order to meet its design objectives [Wooldridge 2002]. Two basic properties of agents are: they are autonomous and react to the environment. Typical environments for the agents are dynamic, reliable, unpredictable, unreliable etc., Agents possess general properties which are reactive, proactive, flexible, robust and social which is widely used to achieve the goal for which it is set.

The advantages of the agents are they reduce coupling, they encapsulate invocation, methods are triggered externally and it doesn't provide control points to external entities. Agents are broadly categorized as Proactive agents and Reactive agents. The Reactive Agents respond to events whereas the Proactive Agents achieve goals. Both are very widely used in this application.

THE AGENT ENVIRONMENT

The agent environment consists of the agent, action,


percepts, events, beliefs, goals and plans, which is depicted as in figure 1 below. An agent is an autonomous entity. A goal is something the agent is working on or towards achieving it. An event is a significant occurrence that the agent should respond to in some way. A belief is some aspect of the agents' knowledge or information about the environment, itself or other agents. A plan is a way of realizing a goal. Thus the agent environment is composed of these basic components [7].

AGENT EXECUTION CYCLE

The concepts of actions, percepts, events, goals, plans and beliefs are related to each other via the execution cycle that implements the decision-making of the agent. The execution cycle describes how instances of these concepts interact as an agent executes. Figure 2 below shows the agent execution cycle clearly.

Figure 3

Figure 3: A typical goal plan tree of depth 3




MODELING THE SCENARIO

The Scenario comprises of a multi-agent system. Typically here four agents are considered whose goals are different. The four agents are Agent Creator, Agent Updater, File Searcher, Remote Desktop Capturer. Figure 4 clearly depicts the scenario in the form of a class diagram.

Figure 4

Figure 4 : Class Diagram




AN ALGORITHM FOR COMPUTING THE RELIABILITY

Here a Distributed computing network consists of various agents is formulated. Each agent is configured for the plans, goals, actions and beliefs. Figure 5 below shows a typical DCN

Figure 5

Figure 5: Network of communicating and cooperating agents



ALGORITHM FOR A SEARCH AGENT

The DCN as shown in figure 5 is formulated. Here the agents are capable of communicating and cooperating. The agents are dynamically created and hence the number of agents, their nature etc., are randomized[1]. The algorithm for a Search Agent is as follows:

- Dynamically create as many agents as is required.
- Define the element to be searched. It can typically be any data. For example it can be file name, a text in a file or directory etc.,
- Create a random walk of the agent so that agents can search in parallel the various paths.
- Analyze the reliability of such a system using fuzzy logic which has a triangular membership functions.
- Typically the reliability is a probability distributed between 0 to 1 decomposed into various conditions like non availability, exceptions/errors and perfect scenario.

- Observe the results and record it and analyze it

Similarly the other tasks like remote desktop capture and remote updater are configured.

RESULTS AND ANALYSIS

The following figures show the results and analysis of agents in DCN. Figure 6 depicts the scenario of search agent. Here the random walk is also displayed. Figure 7 shows the output of agents in the screen capture scenario. Figure 8 displays the reliability of the DCN for various network status and Figure 9 shows the multi-agent Analysis. The analysis concludes that the random walk, the search and update and screen capture agents in the DCN is highly reliable and the reliability and performance using agent based system is improved than conventional computing.

Figure 6

Figure 6: Search Agents Goal




Figure 7

Figure 7: Desktop capturing Agents' Goal



Figure 8

Figure8: Reliability analysis of multi-agent system





Figure 9

Figure 9: Reliability analysis of MAS



CONCLUSION

A multi-agent system is one that consists of a number of agents, which interact with one-another. To successfully interact, they will require the ability to cooperate, coordinate, and negotiate with each other, much as people do. Reliability of such communicating and cooperating agents depends on the dynamic environment and it is asserted that the reliability depends on the current status of the network. It is also found that the reliability can be improved if the network performance is enhanced.

References

1. Mosaab Daoud, Qusay H. Mahmoud, "Reliability Analysis of Mobile Agent-based Systems", University of Guelph, Guelph, ON, N1G 2W1 ,Canada
2. Baek, J., Yeo, J. and Yeom, H., "Agent Chaining: An Approach to Dynamic Mobile Agent Planning", IEEE 22nd International Conference on Distributed Computing Systems (ICDCS'02) (2002), 579-588.
3. Hsieh, C. and Hsieh, Y. "Reliability and cost Optimization in Distributed Computing Systems", Computers and Operations Research, 30 (2003), 1103-1119.
4. Murphy, A.L. and Pietro Picco, G. "Reliable Communication for Highly Mobile Agents", Autonomous Agents and Multi- Agent Systems, 5(2002), 81-100.
5. Moizumi, D. K. "Mobile Agent Planning Problems", Ph.D. Thesis, Dartmouth College, Hanover, New

Hampshire, 1998.

6. Shooman, Martin L. "Reliability of Computer Systems

and Networks", John Wiley & Sons, 2002.

7. Michael Woolridge, "An Introduction to MultiAgent Systems", John Wiley & Sons, 2002.

Author Information

R. Seethalakshmi

K. S. Ravichandran

P. Vasanth